Hyperoodon ampullatus)—24535 (an average of 4907 annually).

- (D) Rough-toothed dolphin (*Steno bredanensis*)—13540 (an average of 2708 annually).
- (E) Bottlenose dolphin (*Tursiops truncatus*)—3034010 (an average of 606802 annually).
- (F) Pan-tropical dolphin (*Stenella attenuata*)—696530 (an average of 139306 annually).
- (G) Atlantic spotted dolphin (*Stenella frontalis*)—1881805 (an average of 376361 annually).
- (H) Spinner dolphin (Stenella longirostris)—105775 (an average of 21155 annually).
- (I) Clymene dolphin (Stenella clymene)—232190 (an average of 46438 annually).
- (J) Striped dolphin (*Stenella coeruleoalba*)—873620 (an average of 174274 annually).
- (K) Common dolphin (*Delphinus spp.*)—482300 (an average of 96460 annually).
- (L) Fraser's dolphin (*Lagenodelphis hosei*)—1730 (an average of 346 annually).
- (M) Risso's dolphin (*Grampus griseus*)—470375 (an average of 94075 annually).
- (N) Atlantic white-sided dolphin (*Lagenorhynchus acutus*)—103255 (an average of 20651 annually).
- (O) White-beaked dophin (*Lagenorhynchus albirostris*)—17250 (an average of 3450 annually).
- (P) Melon-headed whale (*Peponocephala electra*)—8270 (an average of 1654 annually).
- (Q) Pygmy killer whale (Feresa attenuata)—1400 (an average of 280 annually).
- (R) False killer whale (*Pseudorca crassidens*)—2690 (an average of 538 annually).
- (S) Killer whale (*Orcinus orca*)—2515 (an average of 503 annually).
- (T) Pilot whales (Short-finned pilot or long-finned) (Globicephala macrorynchus or G. melas)—636965 (an average of 127393 annually).
- (U) Harbor porpoise (*Phocoena phocoena*)—767405 (an average of 153481 annually).
  - (iii) Pinnipeds:
- (A) Gray seal (Halichoerus grypus)—39295 (an average of 7859 annually).

- (B) Harbor seal (*Phoca vitulina*)—63295 (an average of 12659 annually).
- (C) Hooded seal (*Cystophora cristata*)—78590 (an average of 15718 annually).
- (D) Harp seal (*Pagophilus groenlandica*)—55010 (an average of 11002 annually).
- (2) Level A Harassment and/or mortality of no more than 10 beaked whales (total), of any of the species listed in §216.242(c)(1)(ii)(C) over the course of the 5-year regulations.

## §216.243 Prohibitions.

Notwithstanding takings contemplated in §218.92 and authorized by a Letter of Authorization issued under §216.106 and 216.247, no person in connection with the activities described in §216.240 may:

- (a) Take any marine mammal not specified in §216.242(c);
- (b) Take any marine mammal specified in §216.242(c) other than by incidental take as specified in §216.242(c)(1) and (2);
- (c) Take a marine mammal specified in §216.242(c) if such taking results in more than a negligible impact on the species or stocks of such marine mammal: or
- (d) Violate, or fail to comply with, the terms, conditions, and requirements of these regulations or a Letter of Authorization issued under §§ 216.106 and 216.247.

# §216.244 Mitigation.

- (a) When conducting training activities identified in §216.240(c), the mitigation measures contained in the Letter of Authorization issued under §\$216.106 and 216.247 must be implemented. These mitigation measures include, but are not limited to:
- (1) Mitigation Measures for ASW and MIW training:
- (i) All lookouts onboard platforms involved in ASW training events shall review the NMFS-approved Marine Species Awareness Training (MSAT) material prior to use of mid-frequency active sonar.
- (ii) All Commanding Officers, Executive Officers, and officers standing watch on the Bridge shall review the MSAT material prior to a training event employing the use of mid- or high-frequency active sonar.

- (iii) Navy lookouts shall undertake extensive training in order to qualify as a watchstander in accordance with the Lookout Training Handbook (NAVEDTRA, 12968–D).
- (iv) Lookout training shall include on-the-job instruction under the supervision of a qualified, experienced watchstander. Following successful completion of this supervised training period, Lookouts shall complete the Personal Qualification Standard program, certifying that they have demonstrated the necessary skills (such as detection and reporting of partially submerged objects).
- (v) Lookouts shall be trained in the most effective means to ensure quick and effective communication within the command structure in order to facilitate implementation of mitigation measures if marine mammals are spotted.
- (vi) On the bridge of surface ships, there shall always be at least three people on watch whose duties include observing the water surface around the vessel.
- (vii) All surface ships participating in ASW exercises shall, in addition to the three personnel on watch noted previously, have at all times during the exercise at least two additional personnel on watch as lookouts.
- (viii) Personnel on lookout and officers on watch on the bridge shall have at least one set of binoculars available for each person to aid in the detection of marine mammals.
- (ix) On surface vessels equipped with MFAS, pedestal mounted "Big Eye" (20  $\times$  110) binoculars shall be present and in good working order.
- (x) Personnel on lookout shall employ visual search procedures employing a scanning methodology in accordance with the Lookout Training Handbook (NAVEDTRA 12968-D). Surface lookouts should scan the water from the ship to the horizon and be responsible for all contacts in their sector. In searching the assigned sector, the lookout should always start at the forward part of the sector and search aft (toward the back). To search and scan, the lookout should hold the binoculars steady so the horizon is in the top third of the field of vision and direct the eyes just below the horizon. The lookout

- should scan for approximately five seconds in as many small steps as possible across the field seen through the binoculars. They should search the entire sector in approximately five-degree steps, pausing between steps for approximately five seconds to scan the field of view. At the end of the sector search, the glasses should be lowered to allow the eyes to rest for a few seconds, and then the lookout should search back across the sector with the naked eye.
- (xi) After sunset and prior to sunrise, lookouts shall employ Night Lookouts Techniques in accordance with the Lookout Training Handbook. At night, lookouts should not sweep the horizon with their eyes because this method is not effective when the vessel is moving. Lookouts should scan the horizon in a series of movements that should allow their eyes to come to periodic rests as they scan the sector. When visually searching at night, they should look a little to one side and out of the corners of their eyes, paying attention to the things on the outer edges of their field of vision.
- (xii) Personnel on lookout shall be responsible for informing the Officer of the Deck all objects or anomalies sighted in the water (regardless of the distance from the vessel) to the Officer of the Deck, since any object or disturbance (e.g., trash, periscope, surface disturbance, discoloration) in the water may be indicative of a threat to the vessel and its crew or indicative of a marine species that may need to be avoided as warranted.
- (xiii) Commanding Officers shall make use of marine mammal detection cues and information to limit interaction with marine mammals to the maximum extent possible consistent with safety of the ship.
- (xiv) All personnel engaged in passive acoustic sonar operation (including aircraft, surface ships, or submarines) shall monitor for marine mammal vocalizations and report the detection of any marine mammal to the appropriate watch station for dissemination and appropriate action.
- (xv) Units shall use training lookouts to survey for marine mammals prior to commencement and during the use of active sonar.

(xvi) During operations involving sonar, personnel shall utilize all available sensor and optical systems (such as Night Vision Goggles) to aid in the detection of marine mammals.

(xvii) Navy aircraft participating in exercises at sea shall conduct and maintain, when operationally feasible and safe, surveillance for marine mammals as long as it does not violate safety constraints or interfere with the accomplishment of primary operational duties.

(xviii) Aircraft with deployed sonobuoys shall use only the passive capability of sonobuoys when marine mammals are detected within 200 yards (182 m) of the sonobuoy.

(xix) Marine mammal detections shall be reported immediately to assigned Aircraft Control Unit (if participating) for further dissemination to ships in the vicinity of the marine mammals. This action shall occur when it is reasonable to conclude that the course of the ship will likely close the distance between the ship and the detected marine mammal.

(xx) Safety Zones—When marine mammals are detected by any means (aircraft, shipboard lookout, or acoustically) the Navy shall ensure that sonar transmission levels are limited to at least 6 dB below normal operating levels if any detected marine mammals are within 1000 yards (914 m) of the sonar dome (the bow).

(A) Ships and submarines shall continue to limit maximum transmission levels by this 6-dB factor until the marine mammal has been seen to leave the area, has not been detected for 30 minutes, or the vessel has transited more than 2,000 yards (1828 m) beyond the location of the last detection.

(B) Should a marine mammal be detected within or closing to inside 457 m (500 yd) of the sonar dome, active sonar transmissions shall be limited to at least 10 dB below the equipment's normal operating level. Ships and submarines shall continue to limit maximum ping levels by this 10-dB factor until the marine mammal has been seen to leave the area, has not been detected for 30 minutes, or the vessel has transited more than 2000 yards (1828 m) beyond the location of the last detection.

(C) Should the marine mammal be detected within or closing to inside 183 m (200 yd) of the sonar dome, active sonar transmissions shall cease. Sonar shall not resume until the marine mammal has been seen to leave the area, has not been detected for 30 minutes, or the vessel has transited more than 2,000 yards (1828 m) beyond the location of the last detection.

(D) If the need for power-down should arise as detailed in "Safety Zones" in paragraph (a)(1)(xx) of this section, Navy shall follow the requirements as though they were operating at 235 dB—the normal operating level (i.e., the first power-down shall be to 229 dB, regardless of at what level above 235 sonar was being operated).

(xxi) Prior to startup or restart of active sonar, operators shall check that the Safety Zone radius around the sound source is clear of marine mammals.

(xxii) Sonar levels (generally)—The Navy shall operate sonar at the lowest practicable level, not to exceed 235 dB, except as required to meet tactical training objectives.

(xxiii) Helicopters shall observe/survey the vicinity of an ASW Operation for 10 minutes before the first deployment of active (dipping) sonar in the water.

(xxiv) Helicopters shall not dip their sonar within 200 yards (183 m) of a marine mammal and shall cease pinging if a marine mammal closes within 200 yards of the helicopter dipping sonar (183 m) after pinging has begun.

(xxv) Submarine sonar operators shall review detection indicators of close-aboard marine mammals prior to the commencement of ASW training activities involving active sonar.

(xxvi) Night vision devices shall be available to all ships and air crews, for use as appropriate.

(xxvii) Dolphin bowriding—If, after conducting an initial maneuver to avoid close quarters with dolphins, the ship concludes that dolphins are deliberately closing in on the ship to ride the vessel's bow wave, no further mitigation actions would be necessary because dolphins are out of the main transmission axis of the active sonar while in the shallow-wave area of the vessel bow.

(xxviii) TORPEXs conducted in the northeast North Atlantic right whale critical habitat (as designated in 50 CFR Part 226) shall implement the following measures.

- (A) All torpedo-firing operations shall take place during daylight hours.
- (B) During the conduct of each test, visual surveys of the test area shall be conducted by all vessels and aircraft involved in the exercise to detect the presence of marine mammals. Additionally, trained observers shall be placed on the submarine, spotter aircraft, and the surface support vessel. All participants shall report sightings of any marine mammals, including negative reports, prior to torpedo firings. Reporting requirements shall be outlined in the test plans and procedures written for each individual exercise, and shall be emphasized as part of pre-exercise briefings conducted with all participants.
- (C) Observers shall receive NMFS-approved training in field identification, distribution, and relevant behaviors of marine mammals of the western north Atlantic. Observers shall fill out Standard Sighting Forms and the data shall be housed at the Naval Undersea Warfare Center Division Newport (NUWCDIVNPT). Any sightings of North Atlantic right whales shall be immediately communicated to the Sighting Advisory System (SAS). All platforms shall have onboard a copy of:
- (1) The Guide to Marine Mammals and Turtles of the U.S. Atlantic and Gulf of Mexico (Wynne and Schwartz 1999);
- (2) The NMFS Critical Sightings Program placard;
- (3) Right Whales, Guidelines to Mariners placard.
- (D) In addition to the visual surveillance discussed above, dedicated aerial surveys shall be conducted utilizing a fixed-wing aircraft. An aircraft with an overhead wing (i.e., Cessna Skymaster or similar) shall be used to facilitate a clear view of the test area. Two trained observers, in addition to the pilot, shall be embarked on the aircraft. Surveys shall be conducted at an approximate altitude of 1000 ft (305 m) flying parallel track lines at a separation of 1 nmi (1.85 km), or as necessary to facilitate good visual coverage of the sea

surface. While conducting surveillance, the aircraft shall maintain an approximate speed of 100 knots (185 km/hr). Since factors that affect visibility are highly dependent on the specific time of day of the survey, the flight operator will have the flexibility to adjust the flight pattern to reduce glare and improve visibility. The entire test site shall be surveyed initially, but once preparations are being made for an actual test launch, survey effort shall be concentrated over the vicinity of the individual test location. Further, for approximately ten minutes immediately prior to launch, the aircraft shall racetrack back and forth between the launch vessel and the target vessel.

- (E) Commencement of an individual torpedo test scenario shall not occur until observers from all vessels and aircraft involved in the exercise have reported to the Officer in Tactical Command (OTC) and the OTC has declared that the range is clear of marine mammals. Should marine mammals be present within or seen moving toward the test area, the test shall be either delayed or moved as required to avoid interference with the animals.
- (F) The TORPEX shall be suspended if the Beaufort Sea State exceeds 3 or if visibility precludes safe operations.
  - (G) Vessel speeds:
- (1) During transit through the northeastern North Atlantic right whale critical habitat, surface vessels and submarines shall maintain a speed of no more than 10 knots (19 km/hr) while not actively engaged in the exercise procedures.
- (2) During TORPEX operations, a firing vessel should, where feasible, not exceed 10 knots. When a submarine is used as a target, vessel speeds should, where feasible, not exceed 18 knots. However, on occasion, when surface vessels are used as targets, the vessel may exceed 18 kts in order to fully test the functionality of the torpedoes. This increased speed would occur for a short period of time (e.g., 10–15 minutes) to evade the torpedo when fired upon.
- (H) In the event of an animal strike, or if an animal is discovered that appears to be in distress, the Navy shall immediately report the discovery through the appropriate Navy chain of Command.

(xxix) The Navy shall abide by the following additional measures:

- (A) The Navy shall avoid planning major exercises in the specified planning awareness areas (PAAs—as depicted in NMFS' "Environmental Assessment of Mitigation Alternatives for Issuance of Incidental Take Regulations to U.S. Navy for Atlantic Fleet Active Sonar Training (AFAST)") where feasible. Should national security require the conduct of more than four major exercises (C2X, JTFEX, SEASWITI, or similar scale event) in these areas (meaning all or a portion of the exercise) per year the Navy shall provide NMFS with prior notification and include the information in any associated after-action or monitoring reports.
- (B) The Navy shall conduct no more than one of the four above-mentioned major exercises (COMPTUEX, JTFEX, SEASWITI or similar scale event) per year in the Gulf of Mexico to the extent operationally feasible. If national security needs require more than one major exercise to be conducted in the Gulf of Mexico PAAs, the Navy shall provide NMFS with prior notification and include the information in any associated after-action or monitoring reports.
- (C) The Navy shall include the PAAs in the Navy's Protective Measures Assessment Protocol (PMAP) (implemented by the Navy for use in the protection of the marine environment) for unit level situational awareness (i.e., exercises other than COMPTUEX, JTFEX, SEASWITI) and planning purposes.
- (D) Helicopter Dipping Sonar—Unless otherwise dictated by national security needs, the Navy shall minimize helicopter dipping sonar activities within the southeastern areas of North Atlantic right whale critical habitat (as designated in 50 CFR part 226) from November 15–April 15.
- (E) Object Detection Exercises—The Navy shall implement the following measures regarding object detection activities in the southeastern areas of the North Atlantic right whale critical habitat:
- (1) The Navy shall reduce the time spent conducting object detection exercises in the NARW critical habitat;

- (2) Prior to conducting surface ship object detection exercises in the southeastern areas of the North Atlantic right whale critical habitat during the time of November 15-April 15, ships shall contact FACSFACJAX to obtain the latest North Atlantic right whale sighting information. FACSFACJAX shall advise ships of all reported whale sightings in the vicinity of the critical habitat and associated areas of concern (which extend 9 km (5 NM) seaward of the designated critical habitat boundaries). To the extent operationally feasible, ships shall avoid conducting training in the vicinity of recently sighted North Atlantic right whales. Ships shall maneuver to maintain at least 500 yards separation from any observed whale, consistent with the safety of the ship.
- (xxx) The Navy shall abide by the letter of the "Stranding Response Plan for Major Navy Training Exercises in the AFAST Study Area" (available at: http://www.nmfs.noaa.gov/pr/permits/incidental.htm), to include the following measures:
- (A) Shutdown Procedures—When an Uncommon Stranding Event (USE—defined in §216.241) occurs during a Major Training Exercise (MTE, including SEASWITI, IAC, Group Sails, JTFEX, or COMPTUEX) in the AFAST Study Area, the Navy shall implement the procedures described below.
- (1) The Navy shall implement a Shutdown (as defined §216.241) when advised by a NMFS Office of Protected Resources Headquarters Senior Official designated in the AFAST Stranding Communication Protocol that a USE involving live animals has been identified and that at least one live animal is located in the water. NMFS and Navy shall communicate, as needed, regarding the identification of the USE and the potential need to implement shutdown procedures.
- (2) Any shutdown in a given area shall remain in effect in that area until NMFS advises the Navy that the subject(s) of the USE at that area die or are euthanized, or that all live animals involved in the USE at that area have left the area (either of their own volition or herded).
- (3) If the Navy finds an injured or dead animal of any species other than

North Atlantic right whale floating at sea during an MTE, the Navy shall notify NMFS immediately or as soon as operational security considerations allow. The Navy shall provide NMFS with species or description of the animal(s), the condition of the animal(s), the condition of the animal(s) is/are dead), location, time of first discovery, observed behaviors (if alive), and photo or video (if available). Based on the information provided, NMFS shall determine if, and advise the Navy whether a modified shutdown is appropriate on a case-by-case basis.

(4) If the Navy finds an injured (or entangled) North Atlantic right whale floating at sea during an MTE, the Navy shall implement shutdown procedures (14 or 17 nm, as defined below) around the animal immediately (without waiting for notification from NMFS). The Navy shall then notify NMFS (pursuant to the AFAST Communication Protocol) immediately or as soon as operational security considerations allow. The Navy shall provide NMFS with species or description of the animal(s), the condition of the animal(s) including carcass condition (if the animal(s) is/are dead), location, time of first discovery, observed behaviors (if alive), and photo or video (if available). Subsequent to the discovery of the injured whale, any Navy platforms in the area shall report any North Atlantic right whale sightings to NMFS (or to a contact that can alert NMFS as soon as possible). Based on the information provided, NMFS may initiate/organize an aerial survey (by requesting the Navy's assistance pursuant to the memorandum of agreement (MOA) (see (a)(1)(xxx)(C) of this section) or by other available means) to see if other North Atlantic right whales are in the vicinity. Based on the information provided by the Navy and, if necessary, the outcome of the aerial surveys, NMFS shall determine whether a continued shutdown is appropriate on a case-by-case basis. Though it will be determined on a case-by-case basis after Navy/NMFS discussion of the situation, NMFS anticipates that the shutdown will continue within 14 or 17 nm of a live, injured/entangled North Atlantic right whale until the animal dies or has not been seen for at least 3 hours (either by NMFS staff attending the injured animal or Navy personnel monitoring the area around where the animal was last sighted).

(5) If the Navy finds a dead North Atlantic right whale floating at sea during an MTE, the Navy shall notify NMFS (pursuant to AFAST Stranding Communication Protocol) immediately or as soon as operational security considerations allow. The Navy shall provide NMFS with species or description of the animal(s), the condition of the animal(s) (including carcass condition if the animal(s) is/are dead), location, time of first discovery, observed behaviors (if alive), and photo or video (if available). Subsequent to the discovery of the dead whale, if the Navy is operating sonar in the area they shall use increased vigilance (in looking for North Atlantic right whales) and all platforms in the area shall report sightings of North Atlantic right whales to NMFS as soon as possible. Based on the information provided, NMFS may initiate/organize an aerial survey (by requesting the Navy's assistance pursuant to the MOA (see (a)(1)(xxx)(C) of this section) or by other available means) to see if other North Atlantic right whales are in the vicinity. Based on the information provided by the Navy and, if necessary, the outcome of the aerial surveys, NMFS will determine whether any additional mitigation measures are necessary on a case-by-case basis.

(6) In the event, following a USE, that: (a) Qualified individuals are attempting to herd animals back out to the open ocean and animals are not willing to leave, or (b) animals are seen repeatedly heading for the open ocean but turning back to shore, NMFS and the Navy should coordinate (including an investigation of other potential anthropogenic stressors in the area) to determine if the proximity of MFAS/ HFAS training activities or explosive detonations, though farther than 14 or 17 nm from the distressed animal(s), is likely decreasing the likelihood that the animals return to the open water. If so, NMFS and the Navy shall further coordinate to determine what measures are necessary to further minimize that likelihood and implement those measures as appropriate.

- (B) Within 72 hours of NMFS notifying the Navy of the presence of a USE, the Navy shall provide available information to NMFS (per the AFAST Communication Protocol) regarding the location, number and types of acoustic/explosive sources, direction and speed of units using MFAS/HFAS, and marine mammal sightings information associated with training activities occurring within 80 nm (148 km) and 72 hours prior to the USE event. Information not initially available regarding the 80 nm (148 km), 72 hours, period prior to the event shall be provided as soon as it becomes available. The Navy shall provide NMFS investigative teams with additional relevant unclassified information as requested, if available.
- (C) Memorandum of Agreement (MOA)—The Navy and NMFS shall develop a MOA, or other mechanism consistent with Federal fiscal law requirements (and all other applicable laws), that will establish a framework whereby the Navy can (and provide the Navy examples of how they can best) assist NMFS with stranding investigations in certain circumstances. This document shall be finalized in 2009 (unless NMFS notifies the Navy that a delay is needed).
- (2) Mitigation for IEER/AEER—The following are mitigation measures for use with Extended Echo Ranging/Improved Extended Echo Ranging (EER/IEER) and Advanced Extended Echo Ranging given an explosive source generates the acoustic wave used in this sonobusy.
- (i) Navy crews shall conduct visual reconnaissance of the drop area prior to laying their intended sonobuoy pattern. This search should be conducted below 500 yards (457 m) at a slow speed, if operationally feasible and weather conditions permit. In dual aircraft training activities, crews are allowed to conduct coordinated area clearances.
- (ii) For IEER (AN/SSQ-110A), Navy crews shall conduct a minimum of 30 minutes of visual and acoustic monitoring of the search area prior to commanding the first post (source/receiver sonobuoy pair) detonation. This 30-minute observation period may include pattern deployment time.

- (iii) For any part of the briefed pattern where a post (source/receiver sonobuoy pair) will be deployed within 1,000 yards (914 m) of observed marine mammal activity, deploy the receiver ONLY and monitor while conducting a visual search. When marine mammals are no longer detected within 1,000 yards (914 m) of the intended post position, co-locate the explosive source sonobuoy (AN/SSQ-110A) (source) with the receiver.
- (iv) When operationally feasible, Navy crews shall conduct continuous visual and aural monitoring of marine mammal activity. This is to include monitoring of own-aircraft sensors from first sensor placement to checking off station and out of communication range of these sensors.
- (v) Aural Detection: If the presence of marine mammals is detected aurally, then that should cue the aircrew to increase the diligence of their visual surveillance. Subsequently, if no marine mammals are visually detected, then the Navy crew may continue multistatic active search.
  - (vi) Visual Detection:
- (A) If marine mammals are visually detected within 1,000 yards (914 m) of the explosive source sonobuoy (AN/SSQ-110A) intended for use, then that payload shall not be detonated.
- (B) Navy Aircrews may utilize this post once the marine mammals have not been re-sighted for 30 minutes, or are observed to have moved outside the 1,000 yards (914 m) safety buffer.
- (C) Navy Aircrews may shift their multi-static active search to another post, where marine mammals are outside the 1,000 yards (914 m) safety buffer.
- (vii) For IEER (AN/SSQ-110A), Navy Aircrews shall make every attempt to manually detonate the unexploded charges at each post in the pattern prior to departing the operations area by using the "Payload 1 Release" command followed by the "Payload 2 Release" command. Aircrews shall refrain from using the "Scuttle" command when two payloads remain at a given post. Aircrews shall ensure that a 1,000 yard (914 m) safety buffer, visually clear of marine mammals, is maintained around each post as is done during active search operations.

- (viii) Navy Aircrews shall only leave posts with unexploded charges in the event of a sonobuoy malfunction, an aircraft system malfunction, or when an aircraft must immediately depart the area due to issues such as fuel constraints, inclement weather, and inflight emergencies. In these cases, the sonobuoy will self-scuttle using the secondary or tertiary method.
- (ix) The Navy shall ensure all payloads are accounted for. Explosive source sonobuoys (AN/SSQ-110A) that cannot be scuttled shall be reported as unexploded ordnance via voice communications while airborne, then upon landing via naval message.
- (x) Marine mammal monitoring shall continue until out of own-aircraft sensor range.
- (3) Mitigation Measures Related to Vessel Transit and North Atlantic Right Whales:
- (i) Mid-Atlantic, Offshore of the Eastern United States:
- (A) All Navy vessels are required to use extreme caution and operate at a slow, safe speed consistent with mission and safety during the months indicated below and within a 37 km (20 nm) arc (except as noted) of the specified associated reference points:
- (I) South and East of Block Island (37 km (20 NM) seaward of line between 41–4.49° N. lat. 071–51.15° W. long. and 41–18.58° N. lat. 070–50.23° W. long): Sept–Oct and Mar–Apr.
- (2) New York/New Jersey (40–30.64° N. lat. 073–57.76° W. long.): Sep-Oct and Feb-Apr.
- (3) Delaware Bay (Philadelphia) (38–52.13° N. lat. 075–1.93° W. long.): Oct–Dec and Feb–Mar.
- (4) Chesapeake Bay (Hampton Roads and Baltimore) (37–1.11° N. lat. 075–57.56° W. long.): Nov-Dec and Feb-Apr.
- (5) North Carolina (34–41.54° N. lat. 076–40.20° W. long.): Dec–Apr.
- (6) South Carolina (33–11.84° N. lat. 079–8.99° W. long. and 32–43.39° N. lat. 079–48.72° W. long.): Oct–Apr.
- (B) During the months indicated in paragraph (a)(3)(i)(A) of this section, Navy vessels shall practice increased vigilance with respect to avoidance of vessel-whale interactions along the mid-Atlantic coast, including transits to and from any mid-Atlantic ports not

- specifically identified in paragraph (a)(3)(i)(A) of this section.
- (C) All surface units transiting within 56 km (30 NM) of the coast in the mid-Atlantic shall ensure at least two watchstanders are posted, including at least one lookout who has completed required MSAT training.
- (D) Navy vessels shall not knowingly approach any whale head on and shall maneuver to keep at least 457 m (1,500 ft) away from any observed whale, consistent with vessel safety.
- (ii) Southeast Atlantic, Offshore of the Eastern United States—for the purposes of the measures below (within this paragraph), the "southeast" encompasses sea space from Charleston, South Carolina, southward to Sebastian Inlet, Florida, and from the coast seaward to 148 km (80 NM) from shore. North Atlantic right whale critical habitat is the area from 31-15° N. lat. to 30-15° N. lat. extending from the coast out to 28 km (15 NM), and the area from  $28-00^{\circ}$  N. lat. to  $30-15^{\circ}$  N. lat. from the coast out to 9 km (5 NM). All mitigation measures described here that apply to the critical habitat apply from November 15-April 15 and also apply to an associated area of concern which extends 9 km (5 NM) seaward of the designated critical habitat boundaries.
- (A) Prior to transiting or training in the critical habitat or associated area of concern, ships shall contact Fleet Area Control and Surveillance Facility, Jacksonville, to obtain latest whale sighting and other information needed to make informed decisions regarding safe speed and path of intended movement. Subs shall contact Commander, Submarine Group Ten for similar information.
- (B) The following specific mitigation measures apply to activities occurring within the critical habitat and an associated area of concern which extends 9 km (5 NM) seaward of the designated critical habitat boundaries:
- (1) When transiting within the critical habitat or associated area of concern, vessels shall exercise extreme caution and proceed at a slow safe speed. The speed shall be the slowest safe speed that is consistent with mission, training and operations.

- (2) Speed reductions (adjustments) are required when a whale is sighted by a vessel or when the vessel is within 9 km (5 NM) of a reported new sighting less then 12 hours old. Circumstances could arise where, in order to avoid North Atlantic right whale(s), speed reductions could mean vessel must reduce speed to a minimum at which it can safely keep on course or vessels could come to an all stop.
- (3) Vessels shall avoid head-on approaches to North Atlantic right whale(s) and shall maneuver to maintain at least 457 m (500 yd) of separation from any observed whale if deemed safe to do so. These requirements do not apply if a vessel's safety is threatened, such as when a change of course would create an imminent and serious threat to a person, vessel, or aircraft, and to the extent vessels are restricted in the ability to maneuver.
- (4) Ships shall not transit through the critical habitat or associated area of concern in a North-South direction.
- (5) Ships, surfaced subs, and aircraft shall report any whale sightings to Fleet Area Control and Surveillance Facility, Jacksonville, by the quickest and most practicable means. The sighting report shall include the time, latitude/longitude, direction of movement and number and description of whale (i.e., adult/calf).
- (iii) Northeast Atlantic, Offshore of the Eastern United States:
- (A) Prior to transiting the Great South Channel or Cape Cod Bay critical habitat areas, ships shall obtain the latest North Atlantic right whale sightings and other information needed to make informed decisions regarding safe speed. The Great South Channel critical habitat is defined by the following coordinates: 41-00° N. lat., 69-05° W. long.; 41-45° N. lat, 69-45° W. long; 42-10° N. lat., 68-31° W. long.; 41-38° N. lat., 68-13° W. long. The Cape Cod Bay critical habitat is defined by the following coordinates: 42-04.8° N. lat., 70- $10^{\circ}$  W. long.; 42–12° N. lat., 70–15° W. long.; 42-12° N. lat., 70-30° W. long.; 41-46.8° N. lat., 70-30° W. long.
- (B) Ships, surfaced subs, and aircraft shall report any North Atlantic right whale sightings (if the whale is identifiable as a right whale) off the northeastern U.S. to Patrol and Reconnais-

- sance Wing (COMPATRECONWING). The report shall include the time of sighting, lat/long, direction of movement (if apparent) and number and description of the whale(s).
- (C) Vessels or aircraft that observe whale carcasses shall record the location and time of the sighting and report this information as soon as possible to the cognizant regional environmental coordinator. All whale strikes must be reported. This report shall include the date, time, and location of the strike; vessel course and speed; operations being conducted by the vessel; weather conditions, visibility, and sea state; description of the whale; narrative of incident; and indication of whether photos/videos were taken. Navy personnel are encouraged to take photos whenever possible.
- (D) Specific mitigation measures related to activities occurring within the critical habitat include the following:
- (1) Vessels shall avoid head-on approaches to North Atlantic right whale(s) and shall maneuver to maintain at least 457 m (500 yd) of separation from any observed whale if deemed safe to do so. These requirements do not apply if a vessel's safety is threatened, such as when change of course would create an imminent and serious threat to person, vessel, or aircraft, and to the extent vessels are restricted in the ability to maneuver.
- (2) When transiting within the critical habitat or associated area of concern, vessels shall use extreme caution and operate at a safe speed so as to be able to avoid collisions with North Atlantic right whales and other marine mammals, and stop within a distance appropriate to the circumstances and conditions.
- (3) Speed reductions (adjustments) are required when a whale is sighted by a vessel or when the vessel is within 9 km (5 NM) of a reported new sighting less than one week old.
- (4) Ships transiting in the Cape Cod Bay and Great South Channel critical habitats shall obtain information on recent whale sightings in the vicinity of the critical habitat. Any vessel operating in the vicinity of a North Atlantic right whale shall consider additional speed reductions as per Rule 6 of International Navigational Rules.